

SAFETY DATA SHEET

DS-700i Powder and Tablets

SECTION 1 ---PRODUCT / CHEMICAL IDENTIFICATION

PRODUCT NAME: – Ferox Powder and Tablets / 801 RACING Pulse Power Boost

PRODUCT ID: DS-700i

MANUFACTURER: Rennsli Corp PH: 801-995-3465

EMERGENCY TELEPHONE NUMBERS: CHEMTEL® - **ONLY** IN THE EVENT OF A CHEMICAL EMERGENCY INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT USA AND CANADA 1-800-255-3924 INTERNATIONAL +1-813-248-0585 AUSTRALIA: 1-300-954-583, BRAZIL: 0-800-591-6042, CHINA: 400-120-0751, INDIA: 000-800-100-4086, MEXICO: 01-800-099-0731

USE - APPROVED FOR USE IN ALL HYDROCARBON FUEL TO IMPROVE COMBUSTION EFFICIENCY. FOLLOW DOSING INSTRUCTION PROVIDED ON PACKAGE.
NOT RECOMMENDED AS A FUEL, OR TO BE USED IN LUBRICATION.

SECTION 2 ---PRODUCT INFORMATION / COMPOSITION

PROPRIETARY ADDITIVE PACKAGE IN SOLID AROMATIC CARRIER

	<u>CAS NUMBER</u>	<u>CONCENTRATION</u>
PROPRIETARY ADDITIVE PACKAGE	*	*
SOLID AROMATIC CARRIER	*	*

* THE SPECIFIC CHEMICAL IDENTITY AND/OR EXACT PERCENTAGE (CONCENTRATION) OF COMPOSITION HAS BEEN WITHHELD AS A TRADE SECRET CLAIM GRANTED ON JULY 27, 2004 WITH HMIRC REGISTRATION NUMBER 5507

SECTION 3 ---HAZARD IDENTIFICATION

GHS Classification:

Combustible dust	
Skin irritant	Category 2
Eye Irritation	Category 2A
Specific Target Organ Toxicity - Single Exposure	Category 3 (Respiratory System)

GHS LABEL ELEMENTS



Signal word **Warning**

Hazardous Statements

H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

HMIS Classification

Health hazard:	2
Flammability:	1
Physical hazards:	0

NFPA Rating

Health hazard:	2
Fire:	1
Reactivity hazard:	0

MAY BE HARMFUL IF INGESTED, INHALED OR ABSORBED THROUGH THE SKIN.
VAPOR OR MIST MAY BE IRRITATING TO THE EYES, MUCOUS MEMBRANES, AND UPPER RESPIRATORY TRACT.

SECTION 4 ---FIRST AID MEASURES

SAFETY DATA SHEET

DS-700i Powder and Tablets

IN CASE OF CONTACT WITH EYES, IMMEDIATELY FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 20 MINUTES. IN CASE OF CONTACT WITH SKIN, IMMEDIATELY WASH WITH SOAP AND COPIOUS AMOUNTS OF WATER AT LEAST 20 MINUTES.

IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION, PREFERABLY BY MOUTH-TO-MOUTH. IF BREATHING IS DIFFICULT, GIVE OXYGEN.

IF INGESTED SEEK MEDICAL ATTENTION IMMEDIATELY. IF VOMITING OCCURS NATURALLY, LEAN VICTIM FORWARD TO REDUCE RISK OF ASPIRATION. CALL A PHYSICIAN. (CONTAINS NO HEAVY METALS)

SECTION 5 ---FIRE FIGHTING MEASURES AND EXPLOSION DATA---

FLASH POINT: TAG CLOSED CUP; 110°C WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL POWDER, ALCOHOL, OR POLYMER FOAM.

SPECIAL FIRE FIGHTING PROCEDURES: WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH VAPORIZED MATERIAL AND/OR TOXIC FUMES. UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE.

SECTION 6 ---ACCIDENTAL SPILL OR LEAK PROCEDURES---

PLACE IN A CLOSED CONTAINER AND HOLD FOR WASTE DISPOSAL.

VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE.

SECTION 7 ---PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE

PLEASE REFER TO SECTION 8

SECTION 8 ---EXPOSURE CONTROL / PERSONAL PROTECTION (CONTINUED)

CHEMICAL SAFETY GOGGLES AND A FACE SHIELD

IMPERVIOUS RUBBER GLOVES

OSHA/MSHA-APPROVED RESPIRATOR

SAFETY SHOWER AND EYE BATH

MECHANICAL EXHAUST REQUIRED

AVOID BREATHING VAPOR

AVOID PROLONGED OR REPEATED EXPOSURE

DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING

WASH THOROUGHLY AFTER HANDLING

KEEP AWAY FROM HEAT OR OPEN FLAME

STORE IN A COOL, DRY PLACE

NON-FLAMMABLE

SECTION 9 ---PHYSICAL AND CHEMICAL PROPERTIES---

BOILING POINT: 255°C

FLASH POINT: 110°C – closed cup

MELTING POINT: 70°C

VAPOR DENSITY: 5.3 (air = 1)

VAPOR PRESSURE: <1psi

SPECIFIC GRAVITY: 1.04

DENSITY: 0.992

SOLUBILITY IN WATER: NEGLIGIBLE

APPEARANCE: LIGHT ORANGE POWDER

SECTION 10 ---STABILITY AND REACTIVITY DATA---

STABILITY: STABLE

INCOMPATIBILITIES: STRONG OXIDIZING AGENTS

HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS: CARBON DIOXIDE AND CARBON MONOXIDE HAZARDOUS

POLYMERIZATION: WILL NOT OCCUR

SECTION 11 ---TOXOLOGICAL INFORMATION---

THE FOLLOWING LETHALITY VALUE HAS BEEN REPORTED IN THE LITERATURE FOR THE SOLID AROMATIC CARRIER. LD₅₀ (ORAL, RAT) >2000 MG/KG

THE FOLLOWING LETHALITY VALUE HAS BEEN REPORTED IN THE LITERATURE FOR THE ORGANOMETALLIC. LD₅₀ (ORAL, RAT) >1200 MG/KG

SAFETY DATA SHEET

DS-700i Powder and Tablets

NO EVIDENCE OF CARCINOGENICITY TO THE BEST OF OUR KNOWLEDGE, THE TOXICOLOGICAL PROPERTIES OF THIS MIXTURE OF MATERIALS HAVE NOT BEEN THOROUGHLY INVESTIGATED.

SECTION 12 ---ECOLOGICAL INFORMATION

Biodegradability: Result: Readily biodegradable. Method: Ready Biodegradability: Modified MITI Test (I)

SECTION 13 ---DISPOSAL PROCEDURES

DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER.

OBSERVE ALL FEDERAL, STATE, AND LOCAL DISPOSAL REGULATIONS.

SECTION 14 ---TRANSPORTATION INFORMATION

NON-BULK (US DOT): GROUND, AIR, OCEAN THIS MATERIAL IS **NOT REGULATED**, FOR TRANSPORTATION TO THROUGH AND FROM THE UNITED STATES **AS PER CFR 49, 173.150(f)**

ICAO/IATA: NOT REGULATED

IMDG: NOT REGULATED

INTERNATIONAL HS CODE: 3811.19.0000 - ANTI-KNOCK AGENT NON-HAZARDOUS

REPORTABLE QUANTITY/LIMIT:

BULK US DOT RQ 111-lb/50.5-Kg (MIXTURE)

PACKAGE SIZE CONTAINING REPORTABLE AMOUNT: 111-lb/50.5-Kg

ERG Code: 171 Marine pollutant: Yes (diphenyl)

Remarks: Shipping in package sizes of less than 5 L (liquids) or 5 KG (solids) lead to a non-regulated classification.

LABEL INSTRUCTIONS FOR CONTAINERS WITH QUANTITY THAT MEET RQ REQUIREMENT

PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (MIXTURE)

UN: 3077

CLASS: 9

GROUP: III

SECTION 15 ---REGULATORY INFORMATION---

DATA FOR THIS MIXTURE ARE NOT YET AVAILABLE.

SECTION 16 ---ADDITIONAL COMMENTS AND INFORMATION.

IRRITANT! USE WITH CAUTION. ALWAYS USE PERSONAL PROTECTIVE EQUIPMENT AND FOLLOW SAFE LABORATORY PRACTICES DURING THE HANDLING OR DISPOSAL OF THIS CHEMICAL.

PREPARED - August 2020 – REV. DS70020.01

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT AS OF THE DATE HEREOF. HOWEVER, NO WARRANTY IS MADE, EITHER EXPRESSED OR IMPLIED, REGARDING ITS ACCURACY OR THE RESULTS TO BE OBTAINED FROM THE USE OF SUCH INFORMATION. RENNSLI CORP SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT.

SAFETY DATA SHEET

DS-600i Powder and Tablets

SECTION 1 ---PRODUCT / CHEMICAL IDENTIFICATION

PRODUCT NAME: – Powder and Tablets

PRODUCT ID: DS-600i

MANUFACTURER: RENNSLI CORP, PO BOX 2150 OREM, UT 84059 PH: 801-995-3465**EMERGENCY TELEPHONE NUMBERS:** CHEMTEL® - **ONLY** IN THE EVENT OF A CHEMICAL EMERGENCY INVOLVING A SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT USA AND CANADA 1-800-255-3924 INTERNATIONAL +1-813-248-0585 AUSTRALIA: 1-300-954-583, BRAZIL: 0-800-591-6042, CHINA: 400-120-0751, INDIA: 000-800-100-4086, MEXICO: 01-800-099-0731**USE** - APPROVED FOR USE IN ALL HYDROCARBON FUEL TO IMPROVE COMBUSTION EFFICIENCY. FOLLOW DOSING INSTRUCTION PROVIDED ON PACKAGE.
NOT RECOMMENDED AS A FUEL, OR TO BE USED IN LUBRICATION.

SECTION 2 ---PRODUCT INFORMATION / COMPOSITION

PROPRIETARY ADDITIVE PACKAGE IN SOLID AROMATIC CARRIER

	<u>CAS NUMBER</u>	<u>CONCENTRATION</u>
PROPRIETARY ADDITIVE PACKAGE	*	*
SOLID AROMATIC CARRIER	*	*

* THE SPECIFIC CHEMICAL IDENTITY AND/OR EXACT PERCENTAGE (CONCENTRATION) OF COMPOSITION HAS BEEN WITHHELD AS A TRADE SECRET CLAIM GRANTED ON JULY 27, 2004 WITH HMIRC REGISTRATION NUMBER 5507

SECTION 3 ---HAZARD IDENTIFICATION

GHS Classification:

Combustible dust	
Skin irritant	Category 2
Eye Irritation	Category 2A
Specific Target Organ Toxicity - Single Exposure	Category 3 (Respiratory System)

GHS LABEL ELEMENTS

**Signal word** **Warning****Hazardous Statements**

H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

HMIS Classification

Health hazard:	2
Flammability:	1
Physical hazards:	0

NFPA Rating

Health hazard:	2
Fire:	1
Reactivity hazard:	0

MAY BE HARMFUL IF INGESTED, INHALED OR ABSORBED THROUGH THE SKIN.
VAPOR OR MIST MAY BE IRRITATING TO THE EYES, MUCOUS MEMBRANES, AND UPPER RESPIRATORY TRACT.

SECTION 4 ---FIRST AID MEASURES

SAFETY DATA SHEET

DS-600i Powder and Tablets

IN CASE OF CONTACT WITH EYES, IMMEDIATELY FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 20 MINUTES. IN CASE OF CONTACT WITH SKIN, IMMEDIATELY WASH WITH SOAP AND COPIOUS AMOUNTS OF WATER AT LEAST 20 MINUTES.

IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION, PREFERABLY BY MOUTH-TO-MOUTH. IF BREATHING IS DIFFICULT, GIVE OXYGEN.

IF INGESTED SEEK MEDICAL ATTENTION IMMEDIATELY. IF VOMITING OCCURS NATURALLY, LEAN VICTIM FORWARD TO REDUCE RISK OF ASPIRATION. CALL A PHYSICIAN. (CONTAINS NO HEAVY METALS)

SECTION 5 ---FIRE FIGHTING MEASURES AND EXPLOSION DATA---

FLASH POINT: TAG CLOSED CUP; 110°C WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL POWDER, ALCOHOL, OR POLYMER FOAM.

SPECIAL FIRE FIGHTING PROCEDURES: WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH VAPORIZED MATERIAL AND/OR TOXIC FUMES. UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE.

SECTION 6 ---ACCIDENTAL SPILL OR LEAK PROCEDURES---

PLACE IN A CLOSED CONTAINER AND HOLD FOR WASTE DISPOSAL.

VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE.

SECTION 7 ---PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE

PLEASE REFER TO SECTION 8

SECTION 8 ---EXPOSURE CONTROL / PERSONAL PROTECTION (CONTINUED)

CHEMICAL SAFETY GOGGLES AND A FACE SHIELD

IMPERVIOUS RUBBER GLOVES

OSHA/MSHA-APPROVED RESPIRATOR

SAFETY SHOWER AND EYE BATH

MECHANICAL EXHAUST REQUIRED

AVOID BREATHING VAPOR

AVOID PROLONGED OR REPEATED EXPOSURE

DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING

WASH THOROUGHLY AFTER HANDLING

KEEP AWAY FROM HEAT OR OPEN FLAME

STORE IN A COOL, DRY PLACE

NON-FLAMMABLE

SECTION 9 ---PHYSICAL AND CHEMICAL PROPERTIES---

BOILING POINT: 255°C

FLASH POINT: 110°C – closed cup

MELTING POINT: 70°C

VAPOR DENSITY: 5.3 (air = 1)

VAPOR PRESSURE: <1psi

SPECIFIC GRAVITY: 1.04

DENSITY: 0.992

SOLUBILITY IN WATER: NEGLIGIBLE

APPEARANCE: LIGHT ORANGE POWDER

SECTION 10 ---STABILITY AND REACTIVITY DATA---

STABILITY: STABLE

INCOMPATIBILITIES: STRONG OXIDIZING AGENTS

HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS: CARBON DIOXIDE AND CARBON MONOXIDE HAZARDOUS

POLYMERIZATION: WILL NOT OCCUR

SECTION 11 ---TOXOLOGICAL INFORMATION---

THE FOLLOWING LETHALITY VALUE HAS BEEN REPORTED IN THE LITERATURE FOR THE SOLID AROMATIC CARRIER. LD₅₀ (ORAL, RAT) >2000 MG/KG

THE FOLLOWING LETHALITY VALUE HAS BEEN REPORTED IN THE LITERATURE FOR THE ORGANOMETALLIC. LD₅₀ (ORAL, RAT) >1200 MG/KG

SAFETY DATA SHEET

DS-600i Powder and Tablets

NO EVIDENCE OF CARCINOGENICITY TO THE BEST OF OUR KNOWLEDGE, THE TOXICOLOGICAL PROPERTIES OF THIS MIXTURE OF MATERIALS HAVE NOT BEEN THOROUGHLY INVESTIGATED.

SECTION 12 ---ECOLOGICAL INFORMATION

Biodegradability: Result: Readily biodegradable. Method: Ready Biodegradability: Modified MITI Test (I)

SECTION 13 ---DISPOSAL PROCEDURES

DISSOLVE OR MIX THE MATERIAL WITH A COMBUSTIBLE SOLVENT AND BURN IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER.

OBSERVE ALL FEDERAL, STATE, AND LOCAL DISPOSAL REGULATIONS.

SECTION 14 ---TRANSPORTATION INFORMATION

NON-BULK (US DOT): GROUND, AIR, OCEAN THIS MATERIAL IS **NOT REGULATED**, FOR TRANSPORTATION TO THROUGH AND FROM THE UNITED STATES **AS PER CFR 49, 173.150(f)**

ICAO/IATA: NOT REGULATED

IMDG: NOT REGULATED

INTERNATIONAL HS CODE: 3811.19.0000 - ANTI-KNOCK AGENT NON-HAZARDOUS

REPORTABLE QUANTITY/LIMIT:

BULK US DOT RQ 111-lb/50.5-Kg (MIXTURE)

PACKAGE SIZE CONTAINING REPORTABLE AMOUNT: 111-lb/50.5-Kg

ERG Code: 171 Marine pollutant: Yes (diphenyl)

Remarks: Shipping in package sizes of less than 5 L (liquids) or 5 KG (solids) lead to a non-regulated classification.

LABEL INSTRUCTIONS FOR CONTAINERS WITH QUANTITY THAT MEET RQ REQUIREMENT

PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (MIXTURE)

UN: 3077

CLASS: 9

GROUP: III

SECTION 15 ---REGULATORY INFORMATION---

DATA FOR THIS MIXTURE ARE NOT YET AVAILABLE.

SECTION 16 ---ADDITIONAL COMMENTS AND INFORMATION.

IRRITANT! USE WITH CAUTION. ALWAYS USE PERSONAL PROTECTIVE EQUIPMENT AND FOLLOW SAFE LABORATORY PRACTICES DURING THE HANDLING OR DISPOSAL OF THIS CHEMICAL.

PREPARED - August 2020 – REV. DS60020.01

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT AS OF THE DATE HEREOF. HOWEVER, NO WARRANTY IS MADE, EITHER EXPRESSED OR IMPLIED, REGARDING ITS ACCURACY OR THE RESULTS TO BE OBTAINED FROM THE USE OF SUCH INFORMATION. RENNSLI CORP SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT.